



# Price List

Effective: July 2019



2931 Rimpau Avenue, Corona, CA 92881-3625 • (951) 737-6822 • Fax (951) 737-9151  
www.hendricksonbros.com • email: info@hendricksonbros.com

[www.hendricksonbros.com](http://www.hendricksonbros.com)

## PRESET PRESSURE REGULATORS



### MPR • Mini Pressure Regulator 1/2" .1 to 4 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
20, 30 PSI	-1 1/2" FPT x MPT -2 1/2" FPT x 1/4" Barb	50	2.3	2.63

ORDER INSTRUCTIONS: MPR - *(enter Pressure)* - *(enter Thread Option)*

### PRC4500 • Low Flow with Check Valve 1/2 to 6 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
20, 30, 40 PSI	-1 1/2" MPT x FPT	100	10.0	7.82

ORDER INSTRUCTIONS: PRC45 - *(enter Pressure)*

### DG5000 • Low Flow 1/10 to 8 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 13, 15, 19, 25, 47 PSI	-1 3/4" FHT x MHT -2 3/4" FHT x MPT -3 3/4" FPT x MPT -4 3/4" FPT x MHT -5 3/4" FBSP x MHT -6 3/4" FBSP x MPT -7 3/4" FBSP x MBSP	50	4.0	5.55

ORDER INSTRUCTIONS: DG50 - *(enter Pressure)* - *(enter Thread Option)*

### PR5500 • Low-Medium Flow 1/3 to 12 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 12, 15, 20, 25, 30, 35, 40, 50 PSI	-1 3/4" FHT x MHT -2 3/4" FHT x MPT -3 3/4" FPT x MPT -4 3/4" FPT x MHT -5 3/4" FBSP x MHT -6 3/4" FBSP x MPT -7 3/4" MPT x MHT -8 3/4" MPT x MPT -9 3/4" FBSP x MBSP	10	1.5	7.82

ORDER INSTRUCTIONS: PR55 - *(enter Pressure)* - *(enter Thread Option)*

### PR5500PP • Regulator with Pressure Protection Low-Medium Flow 0 to 12 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 20, 30, 40, 50 PSI	-1 3/4" FHT x MHT -3 3/4" FPT x MPT -9 3/4" FBSP x MBSP	10	1.5	12.35

ORDER INSTRUCTIONS: PR55 - *(enter Pressure)*PP - *(enter Thread Option)*

### PR5500A • Acid Regulator Low-Medium Flow 1/3 to 12 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 15, 20, 25, 30, 35, 50 PSI	-1 3/4" FHT x MHT -2 3/4" FHT x MPT -3 3/4" FPT x MPT -4 3/4" FPT x MHT -5 3/4" FBSP x MHT -6 3/4" FBSP x MPT -7 3/4" MPT x MHT -8 3/4" MPT x MPT -9 3/4" FBSP x MBSP	10	1.5	9.40

ORDER INSTRUCTIONS: PR55-*(enter Pressure)*A - *(enter Thread Option)*

\* For specific flow rates refer to specification sheets.

\*\* Outlet pressure will vary slightly with changes in inlet pressure or flow rate.  
Consult appropriate output pressure chart for specifics.

## PRESET PRESSURE REGULATORS

### PR5800 • Regulator Extra Duty Low-Medium Flow 1/2 to 12 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10*, 15, 20*, 25, 30*, 35, 40*, 50* PSI	-1 3/4" FPT x FPT -2 3/4" FPT x MPT -3 3/4" FBSP x FBSP	10	2.2	8.68

\*Also Available in Pressure Protection Model

ORDER INSTRUCTIONS: PR58 - ([enter Pressure](#)) - ([enter Thread Option](#))

### PR5800PP • Regulator with Pressure Protection Low-Medium Flow 0 to 12 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 20, 30, 40, 50 PSI	-1 3/4" FPT x FPT -2 3/4" FPT x MPT -3 3/4" FBSP x FBSP	10	2.2	13.21

ORDER INSTRUCTIONS: PR58 - ([enter Pressure](#)) PP- ([enter Thread Option](#))

### DG6000 • Medium Flow 1/2 to 15 GPM\*

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 15, 20, 25, 35 PSI	-1 3/4" MPT x FPT -5 3/4" FPT x FPT -2 3/4" MPT x MHT -6 3/4" FPT x MHT	10 10 10 10	1.5 1.5 1.5 1.5	8.38 8.38 8.95 8.95

ORDER INSTRUCTIONS: DG60 - ([enter Pressure](#)) - ([enter Thread Option](#))

### PR7000 • High Flow 1 to 35 GPM\* Low-High Flow

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 15, 20, 25, 30, 35 PSI	-1 1" FPT x 1" FPT -2 1" FBSP x 1" FBSP	12	4.0	17.62

ORDER INSTRUCTIONS: PR70 - ([enter Pressure](#)) - ([enter Thread Option](#))

### PR7500 • High Flow 1 to 35 GPM\* Low-High Flow

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
50, 60, 70, 80 PSI	-1 1" FPT x 1" FPT -2 1" FBSP x 1" FBSP	12	4.0	18.80

ORDER INSTRUCTIONS: PR75 - ([enter Pressure](#)) - ([enter Thread Option](#))

### PR8000 • High Flow 1 to 35 GPM\* Low-High Flow

In Nominal Pressures**	Thread Options	Std Pk	Wt.	List
10, 20, 25, 30, 35, 40, 50 PSI	-1 1" FPT x 1" FPT -2 1" FBSP x 1" FBSP -3 3/4" FPT x 3/4" FPT -4 3/4" FBSP x 3/4" FBSP	50	25.0	18.71

ORDER INSTRUCTIONS: PR80 - ([enter Pressure](#)) - ([enter Thread Option](#))

### PR25-9 • Pressure Regulating Drip Manifold

Stock No.	Description	Std Pk	Wt.	List
PR25-9	9 Outlet pressure regulating drip manifold 9 Outlet caps included	10	.91	9.45
PR25-9PC	9 Outlet pressure regulating drip manifold with pattern control 9 Outlet caps included	10	.91	9.45

## VACUUM BREAKERS



### J10 • Hose Vacuum Breaker

UPC/IAPMO Listed • Complies to ASSE 1011

Stock No.	Configuration	Std Pk	Wt.	List
J10	3/4" FHT x MHT	25	1.8	3.68

### DG41 • Atmospheric Vacuum Breaker

Stock No.	Configurations	Std Pk	Wt.	List
DG41	3/4" FHT x MHT	25	1.5	2.03
DG41P	3/4" FHT x MPT	25	1.5	2.03

## ACCESSORIES



### 7000 Screen • 1" Plastic Filter

Stock No.	Thread Options	Std Pk	Wt.	List
7000S-150P	1" FPT x 1" FPT	12	4.0	17.48
7000S-150B	1" FBSP x 1" FBSP			

### CV Check Valve 1/2"

Stock No.	Thread Options	Std Pk	Wt.	List
CV	1/2" FPT x MPT	100	3.6	2.63

### SOV • Shut Off Valve

Stock No.	Thread Options	Std Pk	Wt.	List
SOV	1/2" MPT x FPT	100	2.8	1.26

### FA500 • Poly Tubing Adaptor (Female)

Stock No.	Thread x O.D. (Ref Size)	Std Pk	Wt.	List
FA576	3/4" FHT x .187 (1/8)	50	1	.63
FA580	3/4" FHT x .220 (1/4)			
FA570	3/4" FHT x .250 (1/4)			
FA574	3/4" FHT x .307			
FA566	3/4" FHT x .350			
FA579	3/4" FHT x .370			
FA562	3/4" FHT x .455 (3/8)			
FA564	3/4" FHT x .600 (13mm)			
FA571	3/4" FHT x .620 (13.2mm)			
FA560	3/4" FHT x .704 (1/2)			
FA575	3/4" FPT x .250 (1/4)			
FA563	3/4" FPT x .455 (3/8)			
FA565	3/4" FPT x .600 (13mm)			
FA572	3/4" FPT x .620 (13.2mm)			
FA561	3/4" FPT x .704 (1/2)			
FA578	3/4" FBSP x .250 (1/4)			
FA577	3/4" FBSP x .370			
FA569	3/4" FBSP x .455 (3/8)			
FA568	3/4" FBSP x .600 (13mm)			
FA567	3/4" FBSP x .704 (1/2)			

### MA600 • Poly Tubing Adaptor (Male)

Stock No.	Thread x O.D. (Ref Size)	Std Pk	Wt.	List
MA650	3/4" MHT x .704 (1/2")	50	1.0	.63
MA651	3/4" MHT x .350 (1/4")			
MA652	3/4" MHT x .455 (3/8")			
MA653	3/4" MHT x .250 (1/4")			

### RA425 • Riser Tubing Adaptor (Female)

Stock No.	Thread x O.D. (Ref Size)	Std Pk	Wt.	List
RA425	1/2" FPT x .250	50	1.2	.63

## ACCESSORIES



### SC90 • 20 Mesh Inlet Screen

1.4 sq. in. of filtration, fits standard 1/2" Sch80 nipple

Stock No.	Std Pk	Wt.	List
SC90	100	.36	.252

### Screen Check

1.4 sq. in. of filtration, fits standard 1/2" Sch80 nipple

Stock No.	Std Pk	Wt.	List
SCK	100	4.9	.85

## DRIP ACCESSORIES



### VS • Valve Stake

Stock No.	Description	Std Pk	Wt.	List
VS	Valve control on stake	100	.70	.93

### Pattern Caps

Stock No.	Description	Std Pk	Wt.	List
PATCAP-S	Center strip micro stream bubbler cap	100	.07	.27
PATCAP-Q	90° Micro stream bubbler cap			
PATCAP-H	180° Micro stream bubbler cap			
PATCAP-F	360° Micro stream bubbler cap			



### Bug Cap

Stock No.	Description	Std Pk	Wt.	List
PATCAP-B	Bug cap fits .250 OD tubing	100	.07	.27



### Pattern Cap Adaptor

Stock No.	Description	Std Pk	Wt.	List
PCA	Pattern cap riser adaptor	100	.10	.27



### Valve Box

Stock No.	Description	Std Pk	Wt.	List
VB	PR25-9 Valve box	25	13.41	7.35



## FLOW CONTROLS



### FLD500 • Flow Limiting Device

Limits flow in the event of broken riser.

Stock No.	Flow Limits	Std Pk	Wt.	List
FLD505	.5 GPM	50	3.2	3.26
FLD510	1.0 GPM			
FLD520	2.0 GPM			
FLD530	3.0 GPM			
FLD540	4.0 GPM			



### FC70 • Flow Controls

Agricultural and industrial applications

Stock No.	Thread Options	Std Pk	Wt.	List
FC70A	-1 1/2" FPT x MPT	50	3.2	3.26
	-2 1/2" FPT x FPT			
<b>Standard Flows:</b>				
.25, .50, .75, 1.00, 1.50, 2.00, 2.25, 2.50, 3.00, 3.50, 4.00, 4.50, 5.00, 5.50 GPM				

FC70C		100	6.4	3.26
Custom designed, balanced to your specific irrigation device.				



### FC71 • Flow Control Riser Adaptor

Stock No.	Standard Flows (Inlet x Outlet)	Thread Options	Std Pk	Wt.	List
FC71/.15	.15 GPM	-1 1/2" FPT x MPT	100	2.08	1.62
FC71/.25	.25 GPM	-2 3/8" MPT x FPT			
FC71/.50	.50 GPM				
FC71/1.00	1.00 GPM				
FC71/2.00	2.00 GPM				



### FC76 • Air Jet Bubbler


Stock No.	Standard Flows	Thread Configurations	Std Pk	Wt.	List
FC76/.15	.15 GPM	1/2" FPT (Inlet)	100	2.08	2.37
FC76/.25	.25 GPM				
FC76/.50	.50 GPM				
FC76/1.00	1.00 GPM				
FC76/2.00	2.00 GPM				



### FC76 • TWB 4 Outlet

Stock No.	Standard Flows	Thread Configurations	Std Pk	Wt.	List
FC76/4.00	4 GPH	1/2" FPT (Inlet)	100	2.1	2.37
FC76/8.00	8 GPH				
FC76/12.00	12 GPH				

**FLOW CONTROLS**



**FC72HM • Hose Modulator**

Stock No.		Std Pk	Wt.	List
FC72HM		100	.7	.58
	<b>Standard Flows:</b>	.15, .25, .35, .50, .60, .75, .80, 1.00, 1.20, 1.50, 1.70, 2.00, 2.50, 3.00, 3.50, 4.00, 5.00 GPM		



**FC77 • Barbed Coupler Flow Control**

Stock No.		Std Pk	Wt.	List
FC77	Fits standard 1/4" Drip Tubing	100	.29	.688
	<b>Standard Flows:</b>	6.0, 8.0, 10.0, 12.0, 14.0, 17.0, 20.0, 25.0 GPH		



**FC77 • 1/4" X 1/8" Barbed Coupler Flow Control**

Stock No.		Std Pk	Wt.	List
FC77-185	Fits standard 1/8" Drip Tubing	100	1.1	.688
	<b>Standard Flows:</b>	2.0, 3.0, 5.0, 8.0, 9.0, 12.0 GPH Call for specific selection		



**FCC80 • Pressure Regulator Flow Control Check**

Stock No.	Thread Options (Inlet x Outlet)	Std Pk	Wt.	List
FCC80	Fits standard 1/4" Tubing or 10/32 Threads	50	1.5	1.42
	-1 1/4" Barb x 1/4" Barb			
	-2 1/4" Barb x 1/4" Quick Thread			
	-3 1/4" Barb x 10/32 Female Thread			
	-4 1/4" Quick Thread x 1/4" Barb			
	-5 1/4" Quick Thread x 1/4" Quick Thread			
	-6 1/4" Quick Thread x 10/32 Female Thread			
	<b>Standard Flows:</b>	6.0, 11.0, 17.0, 24.0 GPH & Custom		



**FC79 • High Volume Flow Control**

Stock No.	Thread Options (Inlet x Outlet)	Std Pk	Wt.	List
FC79	-1 3/4" FPT x MPT	10	1.1	5.20
	-2 3/4" FPT x FPT			
	<b>Standard Flows:</b>	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0 GPM		

**Ordering Guidelines:**

Many Hendrickson products are available with thread options to fit your specific installation. When ordering, specify the model number along with the thread option dash number.

**Example:**

DG6035-1 Model DG6000, 35 PSI, 3/4 MPT x FPT

**To place an order:**


Telefax: (951) 737-9151  
 www.hendricksonbros.com  
 email: info@hendricksonbros.com

**HENDRICKSON BROS.**  
 2931 Rimpau Avenue,  
 Corona, CA 92881-3625  
 (951) 737-6822

**Terms:**

**NET 30** FOB: Corona, CA Minimum Order: \$ 50.00  
 Prices and specifications subject to change without notice.

# HENDRICKSON BROS.



## HENDRICKSON BROS.

2931 Rimpau Avenue, Corona, CA 92881-3625 • (951) 737-6822 • Fax (951) 737-9151  
[www.hendricksonbros.com](http://www.hendricksonbros.com) • email: [info@hendricksonbros.com](mailto:info@hendricksonbros.com)